


Birmingham Public Health Outcomes Framework May 2017

Key:

- Significantly Better than England average
- Not significantly different from England average
- Significantly Worse than England average
- No significance can be calculated
- Significantly Lower than England average
- Significantly Higher than England average



Domain	Indicator	B'ham Number	B'ham Stat	Eng Avg	Eng Worst	England Range	Eng Best	Other Core cities average	Statistical neighbours average	other WMCA average
Overarching indicators	0.1i - Healthy life expectancy at birth (Males) (2013 - 15)	n/a	58.4	63.4	54.0		71.1	58.4	57.6	59.9
	0.1i - Healthy life expectancy at birth (Females) (2013 - 15)	n/a	59.4	64.1	52.4		71.1	59.7	58.4	62.1
	0.1ii - Life expectancy at 65 (Males) (2013 - 15)	n/a	17.6	18.7	15.8		21.4	17.4	16.9	18.1
	0.1ii - Life expectancy at 65 (Females) (2013 - 15)	n/a	20.7	21.1	18.8		23.9	20.0	19.9	20.7
	0.1ii - Life expectancy at birth (Males) (2013 - 15)	n/a	77.1	79.5	74.3		83.4	77.4	76.9	78.3
	0.1ii - Life expectancy at birth (Females) (2013 - 15)	n/a	81.9	83.1	79.4		86.4	81.5	81.2	82.4
Wider	1.01i - Children in low income families (all dependent children under 20) (2014)	96,080	33.3	19.9	41.9		6.8	28.1	31.6	26.0
	1.01ii - Children in low income families (under 16s) (2014)	81,845	32.9	20.1	39.2		7.0	28.3	31.7	26.5
	1.02i - School Readiness: the percentage of children achieving a good level of development at the end of reception (Males) (2015/16)	4,841	57.0	62.1	51.2		73.1	57.0	55.9	56.6
	1.02i - School Readiness: the percentage of children achieving a good level of development at the end of reception (Females) (2015/16)	5,690	70.8	76.8	67.5		85.0	72.3	70.9	72.7
	1.02i - School Readiness: the percentage of children achieving a good level of development at the end of reception (Persons) (2015/16)	10,531	63.7	69.3	59.7		78.7	64.5	63.2	64.5
	1.02i - School Readiness: the percentage of children with free school meal status achieving a good level of development (Males) (2015/16)	1,034	48.2	45.8	29.5		68.6	42.9	46.8	46.0
	1.02i - School Readiness: the percentage of children with free school meal status achieving a good level of development (Females) (2015/16)	1,288	63.9	63.5	47.7		80.4	61.7	62.9	60.6
	1.02i - School Readiness: the percentage of children with free school meal status achieving a good level of development (Persons) (2015/16)	2,322	55.8	54.4	41.0		72.1	52.0	54.7	53.2
	1.02ii - School Readiness: the percentage of Year 1 pupils achieving the expected level in the phonics screening check (Males) (2015/16)	6,212	75.7	76.9	70.5		88.1	73.5	74.3	76.0
	1.02ii - School Readiness: the percentage of Year 1 pupils achieving the expected level in the phonics screening check (Females) (2015/16)	6,446	83.3	84.3	78.7		92.6	81.1	82.2	84.3
	1.02ii - School Readiness: the percentage of Year 1 pupils achieving the expected level in the phonics screening check (Persons) (2015/16)	12,658	79.4	80.5	74.5		89.1	77.2	78.2	80.0
	1.02ii - School Readiness: the percentage of Year 1 pupils with free school meal status achieving the expected level in (Males) (2015/16)	1,463	67.4	63.6	46.6		84.0	62.8	65.6	65.0
	1.02ii - School Readiness: the percentage of Year 1 pupils with free school meal status achieving the expected level in (Females) (2015/16)	1,613	78.8	74.0	56.8		100.0	72.7	76.9	76.5
	1.02ii - School Readiness: the percentage of Year 1 pupils with free school meal status achieving the expected level in (Persons) (2015/16)	3,076	72.9	68.6	53.2		84.2	67.6	71.0	70.5
	1.03 - Pupil absence (2014/15)	2,708,524	4.8	4.6	5.8		3.4	5.0	4.7	4.7
	1.04 - First time entrants to the youth justice system (2015)	583	498.6	368.6	821.9		126.6	544.3	553.5	421.9
	1.05 - 16-18 year olds not in education employment or training (2015)	2,030	5.2	4.2	7.9		1.5	5.9	5.2	3.9
	1.06i - Adults with a learning disability who live in stable and appropriate accommodation (Males) (2015/16)	699	53.4	74.9	40.6		94.2	81.6	79.2	72.6
	1.06i - Adults with a learning disability who live in stable and appropriate accommodation (Females) (2015/16)	474	54.6	75.6	43.6		96.1	78.4	80.4	73.4
	1.06i - Adults with a learning disability who live in stable and appropriate accommodation (Persons) (2015/16)	1,173	53.9	75.4	41.9		94.4	80.1	79.7	73.0
	1.06ii - Adults in contact with secondary mental health services who live in stable and appropriate accommodation (Males) (2015/16)	n/a	69.3	57.4	1.3		92.1	55.0	68.0	77.0
	1.06ii - Adults in contact with secondary mental health services who live in stable and appropriate accommodation (Females) (2015/16)	n/a	69.6	60.0	0.6		93.5	62.5	75.9	79.7
	1.06ii - Adults in contact with secondary mental health services who live in stable and appropriate accommodation (Persons) (2015/16)	n/a	69.4	58.6	1.6		92.6	58.0	71.0	78.1
	1.08i - Gap in the employment rate between those with a long-term health condition and the overall employment rate (2015/16)	n/a	10.0	8.8	19.0		-0.4	10.9	10.7	10.6
	1.08ii - Gap in the employment rate between those with a learning disability and the overall employment rate (Males) (2015/16)	n/a	66.6	73.0	83.0		47.4	66.5	69.6	71.1
	1.08ii - Gap in the employment rate between those with a learning disability and the overall employment rate (Females) (2015/16)	n/a	52.7	63.6	74.8		38.4	60.2	56.2	58.6
	1.08ii - Gap in the employment rate between those with a learning disability and the overall employment rate (Persons) (2015/16)	n/a	59.6	68.1	77.8		48.3	63.3	62.8	64.8
	1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employme (Males) (2015/16)	n/a	62.8	73.7	84.2		60.0	67.0	67.4	66.9
	1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employme (Females) (2015/16)	n/a	47.4	60.8	73.1		43.8	56.3	52.0	52.5
	1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employme (Persons) (2015/16)	n/a	55.1	67.2	78.4		53.6	62.0	59.8	59.8
	1.08iv - Percentage of people aged 16-64 in employment (Males) (2015/16)	235,300	67.4	79.2	64.6		88.7	71.9	71.7	73.9
	1.08iv - Percentage of people aged 16-64 in employment (Females) (2015/16)	191,500	53.6	68.8	53.6		80.0	64.3	57.7	60.3

1.08iv - Percentage of people aged 16-64 in employment (Persons) (2015/16)	426,900	60.4	73.9	60.4		84.3	68.1	64.7	67.1
1.09i - Sickness absence - the percentage of employees who had at least one day off in the previous week (2012 - 14)	n/a	1.8	2.4	3.8		1.0	2.4	2.5	2.3
1.09ii - Sickness absence - the percent of working days lost due to sickness absence (2012 - 14)	n/a	1.0	1.5	2.8		0.5	1.6	1.7	1.6
1.10 - Killed and seriously injured (KSI) casualties on England's roads (2013 - 15)	1,239	37.5	38.5	74.0		11.8	35.5	30.8	30.9
1.11 - Domestic abuse - historic method (2014/15)	n/a	22.4	20.4	5.5		33.8	23.7	21.7	22.4
1.11 - Domestic abuse-related incidents and crimes - current method (2015/16)	n/a	23.5	22.1	9.4		38.4	24.3	21.7	23.5
1.12i - Violent crime (including sexual violence) - hospital admissions for violence (Males) (2013/14 - 15/16)	1,787	97.7	71.8	205.0		14.4	116.0	109.5	93.1
1.12i - Violent crime (including sexual violence) - hospital admissions for violence (Females) (2013/14 - 15/16)	327	18.7	17.6	64.2		5.0	28.9	31.2	28.0
1.12i - Violent crime (including sexual violence) - hospital admissions for violence (Persons) (2013/14 - 15/16)	2,114	58.0	44.8	133.4		9.1	72.8	65.0	60.7
1.12ii - Violent crime (including sexual violence) - violence offences per 1,000 population (2015/16)	19,160	17.4	17.2	6.7		36.7	22.2	21.3	14.1
1.12iii - Violent crime (including sexual violence) - rate of sexual offences per 1,000 population (2015/16)	1,848	1.7	1.7	0.9		3.5	2.2	2.2	1.4
1.13i - Re-offending levels - percentage of offenders who re-offend (2014)	2,850	27.0	25.4	35.0		20.0	28.1	26.1	24.9
1.13ii - Re-offending levels - average number of re-offences per offender (2014)	9,525	0.9	0.8	1.4		0.6	1.0	0.8	0.8
1.13iii - First time offenders (2015)	3,127	283.9	242.4	87.1		480.1	286.3	339.5	253.0
1.14i - The rate of complaints about noise (2014/15)	4,556	4.1	7.1	72.9		2.2	6.7	7.0	8.5
1.14ii - The percentage of the population exposed to road, rail and air transport noise of 65dB(A) or more, during the d (2011)	54,990	5.1	5.2	20.8		0.8	5.8	6.3	4.6
1.14iii - The percentage of the population exposed to road, rail and air transport noise of 55 dB(A) or more during the (2011)	102,230	9.5	8.0	42.4		1.2	8.6	9.9	8.5
1.15i - Statutory homelessness - Eligible homeless people not in priority need (2015/16)	426	1.0	0.9	8.9		0.1	2.0	1.6	1.4
1.15ii - Statutory homelessness - households in temporary accommodation (2015/16)	1,194	2.8	3.1	35.0		0.0	1.0	3.4	0.7
1.16 - Utilisation of outdoor space for exercise/health reasons (Mar 2015 - Feb 2016)	n/a	18.4	17.9	5.1		36.9	17.8	19.0	19.5
1.17 - Fuel poverty (2014)	58,677	14.1	10.6	15.1		5.8	13.1	13.2	11.8
1.18i - Social Isolation: percentage of adult social care users who have as much social contact as they would like (2015/16)	n/a	44.6	45.4	35.8		55.1	44.9	44.6	46.8
1.18ii - Social Isolation: percentage of adult carers who have as much social contact as they would like (2012/13)	n/a	37.0	41.3	23.9		58.5	42.9	38.1	38.1
1.18ii - Social Isolation: percentage of adult carers who have as much social contact as they would like (2014/15)	n/a	27.4	38.5	18.2		52.6	36.2	37.6	37.4
2.01 - Low birth weight of term babies (2015)	631	4.1	2.8	4.8		1.3	3.3	3.7	3.6
2.02ii - Breastfeeding - breastfeeding prevalence at 6-8 weeks after birth - current method (2015/16)	8,179	51.5	43.2	18.0		76.5	40.5	40.7	36.7
2.02ii - Breastfeeding - breastfeeding prevalence at 6-8 weeks after birth - historical method (2014/15)	8,480	52.2	43.8	19.1		81.5	47.2	56.0	36.7
2.04 - Under 18 conceptions (2015)	545	25.4	20.8	43.8		5.7	26.6	29.9	28.4
2.04 - Under 18 conceptions: conceptions in those aged under 16 (2015)	88	4.2	3.7	8.6		0.9	5.3	5.5	5.1
2.06i - Child excess weight in 4-5 and 10-11 year olds - 4-5 year olds (2015/16)	3,852	23.8	22.1	30.1		14.3	23.4	24.1	23.6
2.06ii - Child excess weight in 4-5 and 10-11 year olds - 10-11 year olds (2015/16)	5,639	39.9	34.2	43.4		22.9	37.0	39.9	38.3
2.07i - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-14 years) (2015/16)	2,514	104.9	104.2	207.4		53.5	119.2	110.4	116.6
2.07i - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-4 years) (2015/16)	1,095	128.2	129.6	254.2		56.0	143.0	145.4	143.6
2.07ii - Hospital admissions caused by unintentional and deliberate injuries in young people (aged 15-24 years) (2015/16)	2,028	111.8	134.1	280.2		72.0	120.0	107.0	131.3
2.08i - Average difficulties score for all looked after children aged 5-16 who have been in care for at least 12 months (2015/16)	n/a	13.1	14.0	17.6		10.2	14.5	14.0	14.0
2.08ii - Percentage of children where there is a cause for concern (2015/16)	294	33.4	37.8	55.6		20.5	41.2	37.4	38.1
2.09i - Smoking prevalence at age 15 - current smokers (WAY survey) (Persons) (2014/15)	n/a	4.4	8.2	14.9		3.4	9.1	6.5	6.6
2.09ii - Smoking prevalence at age 15 - regular smokers (WAY survey) (Persons) (2014/15)	n/a	3.1	5.5	11.1		1.3	6.6	4.8	4.9
2.09iii - Smoking prevalence at age 15 - occasional smokers (WAY survey) (Persons) (2014/15)	n/a	1.3	2.7	7.6		0.6	2.5	1.7	1.8
2.10ii - Emergency Hospital Admissions for Intentional Self-Harm (Males) (2015/16)	850	152.9	147.1	519.9		38.4	173.8	162.2	178.0
2.10ii - Emergency Hospital Admissions for Intentional Self-Harm (Females) (2015/16)	1,508	243.7	247.8	755.9		51.4	269.1	244.5	278.4
2.10ii - Emergency Hospital Admissions for Intentional Self-Harm (Persons) (2015/16)	2,358	198.2	196.5	635.3		55.7	220.8	202.5	227.3
2.11i - Proportion of the population meeting the recommended '5-a-day' on a 'usual day' (adults) (2015)	n/a	40.4	52.3	36.5		62.8	48.0	43.3	46.3
2.11ii - Average number of portions of fruit consumed daily (adults) (2015)	n/a	2.2	2.5	2.1		2.9	2.4	2.3	2.4
2.11iii - Average number of portions of vegetables consumed daily (adults) (2015)	n/a	1.9	2.3	1.7		2.6	2.1	1.9	2.0
2.11iv - Proportion of the population meeting the recommended "5-a-day" at age 15 (Persons) (2014/15)	n/a	54.1	52.4	39.9		67.6	49.6	49.8	49.8
2.11v - Average number of portions of fruit consumed daily at age 15 (WAY survey) (2014/15)	13,082	2.5	2.4	2.0		3.3	2.4	2.4	2.3

2.11vi - Average number of portions of vegetables consumed daily at age 15 (WAY survey) (2014/15)	13,005	2.4	2.4	1.9		2.9	2.3	2.4	2.3
2.12 - Excess weight in Adults (2013 - 15)	n/a	65.4	64.8	76.2		46.5	62.3	65.6	67.4
2.13i - Percentage of physically active and inactive adults - active adults (2015)	n/a	51.1	57.0	44.8		69.8	54.9	51.2	52.0
2.13ii - Percentage of physically active and inactive adults - inactive adults (2015)	n/a	36.2	28.7	43.7		17.5	31.3	36.2	33.4
2.14 - Smoking Prevalence in adult in routine and manual occupations - current smokers (APS) (2015)	n/a	23.8	26.5	36.3		15.8	29.1	27.8	25.2
2.14 - Smoking Prevalence in adults - current smokers (APS) (2015)	n/a	15.9	16.9	26.8		9.5	20.6	20.6	16.8
2.15i - Successful completion of drug treatment - opiate users (2015)	145	2.9	6.7	2.5		17.8	6.0	7.2	5.6
2.15ii - Successful completion of drug treatment - non-opiate users (2015)	269	19.0	37.3	19.0		61.8	35.8	35.3	40.8
2.15iii - Successful completion of alcohol treatment (2015)	419	20.9	38.4	16.8		64.9	32.8	33.3	38.6
2.15iv - Deaths from drug misuse (2013 - 15)	161	5.3	3.9	19.0		1.4	6.4	5.0	4.2
2.16 - Adults with substance misuse treatment need who successfully engage in community-based structured treatment follo (2015/16)	253	15.1	30.3	8.7		71.6	31.6	32.1	28.2
2.17 - Recorded diabetes (2014/15)	78,304	8.3	6.4	3.7		8.9	5.8	7.2	7.6
2.18 - Admission episodes for alcohol-related conditions - narrow definition (Males) (2015/16)	4,230	951.5	829.5	1427.0		509.4	1037.4	1063.4	987.6
2.18 - Admission episodes for alcohol-related conditions - narrow definition (Females) (2015/16)	2,556	517.2	482.7	918.0		274.2	557.5	550.0	603.7
2.18 - Admission episodes for alcohol-related conditions - narrow definition (Persons) (2015/16)	6,786	722.7	646.6	1163.3		389.9	787.1	795.5	785.7
2.19 - Cancer diagnosed at early stage (experimental statistics) (2015)	1,880	55.5	52.4	41.6		60.4	51.3	49.3	51.9
2.20i - Cancer screening coverage - breast cancer (2016)	65,340	69.7	75.5	57.2		84.0	70.7	68.4	73.4
2.20ii - Cancer screening coverage - cervical cancer (2016)	194,493	66.3	72.7	55.5		81.4	71.0	67.6	70.9
2.20iii - Cancer screening coverage - bowel cancer (2016)	58,469	48.2	57.9	40.9		66.4	52.5	47.2	55.2
2.20iv - Abdominal Aortic Aneurysm Screening - Coverage (2015/16)	3,175	70.9	79.9	57.5		87.2	75.0	71.2	78.0
2.20xi - Newborn Blood Spot Screening - Coverage (2015/16)	15,511	99.3	95.6	70.2		99.8	93.7	93.2	96.4
2.20xii - Newborn Hearing Screening - Coverage (2015/16)	16,793	99.5	98.7	95.1		99.9	97.5	98.4	98.2
2.22iii - Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check (2013/14 - 15/16)	182,796	73.2	56.4	17.0		145.7	52.3	53.7	65.3
2.22iv - Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check who received an NHS Hea (2013/14 - 15/16)	98,063	53.6	48.6	19.7		100.0	47.4	52.6	46.1
2.22v - Cumulative percentage of the eligible population aged 40-74 who received an NHS Health check (2013/14 - 15/16)	98,063	39.3	27.4	11.0		55.7	24.8	28.2	30.1
2.23i - Self-reported wellbeing - people with a low satisfaction score (2015/16)	n/a	5.5	4.6	8.5		2.8	5.6	6.0	5.3
2.23ii - Self-reported wellbeing - people with a low worthwhile score (2015/16)	n/a	4.2	3.6	6.4		2.4	4.5	4.9	4.3
2.23iii - Self-reported wellbeing - people with a low happiness score (2015/16)	n/a	9.5	8.8	13.9		4.9	11.0	10.2	8.3
2.23iv - Self-reported wellbeing - people with a high anxiety score (2015/16)	n/a	19.1	19.4	30.6		11.9	21.3	18.6	17.6
2.24i - Emergency hospital admissions due to falls in people aged 65 and over (Males) (2015/16)	1,269	2102.5	1733.4	3116.3		824.9	2079.6	1980.0	1968.9
2.24i - Emergency hospital admissions due to falls in people aged 65 and over (Females) (2015/16)	2,397	2637.3	2471.3	3859.2		1535.2	2864.8	2561.4	2702.3
2.24i - Emergency hospital admissions due to falls in people aged 65 and over (Persons) (2015/16)	3,666	2419.0	2169.4	3425.7		1236.8	2559.5	2327.3	2407.0
2.24ii - Emergency hospital admissions due to falls in people aged 65 and over - aged 65-79 (Males) (2015/16)	511	1086.4	825.4	1627.8		354.3	1117.7	1056.9	950.8
2.24ii - Emergency hospital admissions due to falls in people aged 65 and over - aged 65-79 (Females) (2015/16)	767	1395.8	1177.5	1890.7		788.9	1429.6	1325.9	1240.9
2.24ii - Emergency hospital admissions due to falls in people aged 65 and over - aged 65-79 (Persons) (2015/16)	1,278	1254.2	1012.1	1726.4		585.5	1284.4	1199.4	1105.2
2.24iii - Emergency hospital admissions due to falls in people aged 65 and over - aged 80+ (Males) (2015/16)	758	5049.4	4366.5	7719.4		2124.4	4868.9	4664.0	4919.9
2.24iii - Emergency hospital admissions due to falls in people aged 65 and over - aged 80+ (Females) (2015/16)	1,630	6237.8	6223.3	9582.7		3663.6	7019.2	6145.5	6938.3
2.24iii - Emergency hospital admissions due to falls in people aged 65 and over - aged 80+ (Persons) (2015/16)	2,388	5796.9	5525.6	8353.5		3125.6	6252.5	5601.2	6181.0
3.01 - Fraction of mortality attributable to particulate air pollution (2015)	n/a	5.1	4.7	6.7		3.2	4.3	5.3	5.2
3.02 - Chlamydia detection rate (15-24 year olds) (Males) (2015)	980	1095.1	1276.0	224.2		4204.5	1373.1	1343.5	1160.9
3.02 - Chlamydia detection rate (15-24 year olds) (Females) (2015)	1,985	2215.9	2492.1	1414.0		6585.9	2709.9	2745.6	2404.3
3.02 - Chlamydia detection rate (15-24 year olds) (Persons) (2015)	2,976	1661.0	1887.0	1054.2		5434.0	2046.2	2047.5	1777.4
3.03iii - Population vaccination coverage - Dtap / IPV / Hib (1 year old) (2015/16)	15,384	89.3	93.6	70.4		98.9	94.1	92.7	95.0
3.03iii - Population vaccination coverage - Dtap / IPV / Hib (2 years old) (2015/16)	16,390	93.1	95.2	73.0		99.2	95.9	95.0	96.8
3.03ix - Population vaccination coverage - MMR for one dose (5 years old) (2015/16)	15,684	93.0	94.8	71.1		98.9	95.7	94.8	95.6
3.03v - Population vaccination coverage - PCV (2015/16)	15,436	89.6	93.5	75.5		99.1	94.0	92.5	94.9
3.03vi - Population vaccination coverage - Hib / Men C booster (5 years old) (2015/16)	15,156	89.9	92.6	68.2		97.7	92.5	90.4	92.0


Health Protection

3.03vi - Population vaccination coverage - Hib / MenC booster (2 years old) (2015/16)	15,459	87.8	91.6	65.2		97.5	91.6	90.4	94.1
3.03vii - Population vaccination coverage - PCV booster (2015/16)	15,485	87.9	91.5	67.1		97.6	91.6	90.3	94.0
3.03viii - Population vaccination coverage - MMR for one dose (2 years old) (2015/16)	15,420	87.6	91.9	69.3		97.7	91.6	90.8	94.3
3.03x - Population vaccination coverage - MMR for two doses (5 years old) (2015/16)	13,734	81.4	88.2	56.5		98.6	88.7	85.9	89.8
3.03xii - Population vaccination coverage - HPV vaccination coverage for one dose (females 12-13 years old) (2015/16)	5,262	78.4	87.0	68.4		97.3	86.7	79.4	88.2
3.03xiii - Population vaccination coverage - PPV (2015/16)	100,624	67.2	70.1	50.2		81.1	72.0	68.2	69.0
3.03xiv - Population vaccination coverage - Flu (aged 65+) (2015/16)	111,587	69.2	71.0	57.4		77.4	73.4	68.9	69.4
3.03xv - Population vaccination coverage - Flu (at risk individuals) (2015/16)	72,956	44.9	45.1	28.8		56.5	47.0	44.5	45.6
3.03xvi - Population vaccination coverage - HPV vaccination coverage for two doses (females 13-14 years old) (2015/16)	5,036	80.4	85.1	43.7		99.1	85.9	83.5	86.6
3.03xvii - Population vaccination coverage - Shingles vaccination coverage (70 years old) (2015/16)	3,083	50.7	54.9	25.6		68.8	54.8	49.8	53.8
3.03xviii - Population vaccination coverage - Flu (2-4 years old) (2015/16)	14,180	25.7	34.4	13.4		49.1	34.4	30.4	31.3
3.04 - HIV late diagnosis (2013 - 15)	120	37.3	40.0	75.0		12.5	46.8	49.2	51.5
3.05i - Treatment completion for TB (2014)	242	84.9	84.4	57.1		100.0	82.7	84.0	81.7
3.05ii - Incidence of TB (2013 - 15)	960	29.0	12.0	85.6		1.2	16.3	28.9	20.3
3.06 - NHS organisations with a board approved sustainable development management plan (2015/16)	6	50.0	66.2	25.0		100.0	65.2	66.7	65.4
3.08 - Adjusted antibiotic prescribing in primary care by the NHS (2016)	745,486	1.1	1.1	1.4		0.7	1.1	1.1	1.1
4.01 - Infant mortality (2013 - 15)	386	7.5	3.9	7.9		2.0	4.4	5.2	5.2
4.02 - Proportion of five year old children free from dental decay (2014/15)	340	71.3	75.2	85.9		43.9	68.7	70.9	76.2
4.03 - Mortality rate from causes considered preventable (Males) (2013 - 15)	3,562	311.9	232.5	409.4		153.5	308.1	338.5	279.8
4.03 - Mortality rate from causes considered preventable (Females) (2013 - 15)	2,084	167.6	139.6	239.7		101.1	180.0	192.9	157.3
4.03 - Mortality rate from causes considered preventable (Persons) (2013 - 15)	5,646	237.2	184.5	320.5		130.5	242.0	262.9	216.3
4.04i - Under 75 mortality rate from all cardiovascular diseases (Males) (2013 - 15)	1,451	142.6	104.7	184.9		68.4	136.3	159.0	124.1
4.04i - Under 75 mortality rate from all cardiovascular diseases (Females) (2013 - 15)	630	58.5	46.2	93.2		22.1	61.7	75.5	54.7
4.04i - Under 75 mortality rate from all cardiovascular diseases (Persons) (2013 - 15)	2,081	99.2	74.6	137.6		45.4	98.0	116.1	88.5
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Males) (2013 - 15)	1,020	100.9	72.5	132.0		44.6	94.2	110.3	86.2
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Females) (2013 - 15)	369	34.7	25.0	49.2		13.6	33.1	43.1	30.9
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Persons) (2013 - 15)	1,389	66.7	48.1	89.5		27.2	62.8	75.9	57.9
4.05i - Under 75 mortality rate from cancer (Males) (2013 - 15)	1,823	183.7	154.8	218.7		99.5	191.8	193.8	172.7
4.05i - Under 75 mortality rate from cancer (Females) (2013 - 15)	1,475	135.1	123.9	172.6		90.0	145.4	149.6	134.6
4.05i - Under 75 mortality rate from cancer (Persons) (2013 - 15)	3,298	158.4	138.8	194.8		105.8	167.8	170.7	152.9
4.05ii - Under 75 mortality rate from cancer considered preventable (Males) (2013 - 15)	1,106	112.9	88.4	143.3		63.6	118.2	120.1	103.8
4.05ii - Under 75 mortality rate from cancer considered preventable (Females) (2013 - 15)	865	79.1	74.5	120.5		53.2	92.1	94.3	78.4
4.05ii - Under 75 mortality rate from cancer considered preventable (Persons) (2013 - 15)	1,971	95.2	81.1	129.3		59.6	104.6	106.5	90.6
4.06i - Under 75 mortality rate from liver disease (Males) (2013 - 15)	371	34.0	23.7	59.1		12.8	34.1	41.1	31.0
4.06i - Under 75 mortality rate from liver disease (Females) (2013 - 15)	192	16.7	12.5	29.7		6.6	16.1	19.1	16.6
4.06i - Under 75 mortality rate from liver disease (Persons) (2013 - 15)	563	25.2	18.0	44.4		10.0	24.9	30.0	23.7
4.06ii - Under 75 mortality rate from liver disease considered preventable (Males) (2013 - 15)	345	31.6	21.4	54.7		11.8	31.3	37.1	27.8
4.06ii - Under 75 mortality rate from liver disease considered preventable (Females) (2013 - 15)	164	14.3	10.6	27.1		5.6	13.9	16.6	13.8
4.06ii - Under 75 mortality rate from liver disease considered preventable (Persons) (2013 - 15)	509	22.7	15.9	40.8		9.0	22.5	26.6	20.6
4.07i - Under 75 mortality rate from respiratory disease (Males) (2013 - 15)	547	55.1	38.5	80.2		20.5	55.3	64.8	46.3
4.07i - Under 75 mortality rate from respiratory disease (Females) (2013 - 15)	397	37.7	28.0	60.6		14.3	42.3	44.0	32.1
4.07i - Under 75 mortality rate from respiratory disease (Persons) (2013 - 15)	944	46.1	33.1	68.3		16.5	48.6	54.0	39.0
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Males) (2013 - 15)	262	27.5	20.3	51.0		8.0	32.4	36.9	24.3
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Females) (2013 - 15)	212	20.7	16.1	41.7		7.9	27.3	26.0	18.1
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Persons) (2013 - 15)	474	23.9	18.1	45.9		7.5	29.7	31.3	21.1
4.08 - Mortality rate from a range of specified communicable diseases, including influenza (Males) (2013 - 15)	184	17.5	11.5	24.2		6.8	13.2	16.7	17.0
4.08 - Mortality rate from a range of specified communicable diseases, including influenza (Females) (2013 - 15)	214	15.3	9.6	24.2		5.2	10.9	11.6	13.6

4.08 - Mortality rate from a range of specified communicable diseases, including influenza (Persons) (2013 - 15)	398	16.2	10.5	23.7		6.1	12.0	13.8	15.1
4.09i - Excess under 75 mortality rate in adults with serious mental illness (2014/15)	n/a	487.0	370.0	570.4		164.8	452.0	411.0	406.2
4.09ii - Proportion of adults in the population in contact with secondary mental health services (2014/15)	44,940	6.0	5.4	14.5		2.7	5.7	6.3	5.3
4.10 - Suicide rate (Males) (2013 - 15)	210	16.0	15.8	27.5		8.5	17.2	16.5	16.9
4.10 - Suicide rate (Females) (2013 - 15)	66	4.9	4.7	8.5		2.6	5.0	4.6	n/a
4.10 - Suicide rate (Persons) (2013 - 15)	276	10.3	10.1	17.4		5.6	11.0	10.1	10.0
4.11 - Emergency readmissions within 30 days of discharge from hospital (Males) (2011/12)	8,312	13.2	12.1	14.9		8.7	13.4	12.9	12.3
4.11 - Emergency readmissions within 30 days of discharge from hospital (Females) (2011/12)	8,087	12.2	11.5	14.7		8.3	12.2	12.0	11.8
4.11 - Emergency readmissions within 30 days of discharge from hospital (Persons) (2011/12)	16,399	12.7	11.8	14.5		8.8	12.7	12.4	12.0
4.12i - Preventable sight loss - age related macular degeneration (AMD) (2014/15)	163	113.3	118.1	23.1		402.1	135.4	111.7	129.5
4.12ii - Preventable sight loss - glaucoma (2014/15)	41	9.2	12.8	30.3		3.6	13.3	12.7	13.3
4.12iii - Preventable sight loss - diabetic eye disease (2014/15)	37	4.1	3.2	0.9		19.6	3.0	4.4	4.1
4.12iv - Preventable sight loss - sight loss certifications (2014/15)	394	35.8	42.4	99.2		6.4	40.9	38.7	43.9
4.13 - Health related quality of life for older people (2015/16)	n/a	0.7	0.7	0.6		0.8	0.7	0.7	0.7
4.14i - Hip fractures in people aged 65 and over (Males) (2015/16)	296	489.1	416.4	669.4		258.8	499.5	529.4	491.5
4.14i - Hip fractures in people aged 65 and over (Females) (2015/16)	671	730.3	710.4	962.3		438.7	742.2	742.3	727.4
4.14i - Hip fractures in people aged 65 and over (Persons) (2015/16)	967	633.0	589.5	820.1		390.9	641.0	652.3	629.9
4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (Males) (2015/16)	111	237.6	168.3	284.4		122.2	217.9	249.8	215.9
4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (Females) (2015/16)	195	352.7	311.3	506.4		202.5	359.1	361.5	313.9
4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (Persons) (2015/16)	306	300.5	244.2	374.6		163.6	293.2	303.6	267.8
4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Males) (2015/16)	185	1218.3	1135.7	1881.5		706.0	1318.3	1380.5	1296.5
4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Females) (2015/16)	476	1825.3	1867.6	2611.2		1174.7	1851.3	1851.2	1928.2
4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Persons) (2015/16)	661	1597.3	1590.7	2311.3		952.6	1649.7	1671.1	1683.5
4.15i - Excess winter deaths index (single year, all ages) (Males) (Aug 2014 - Jul 2015)	266	19.4	23.6	51.0		-2.7	21.2	22.4	24.9
4.15i - Excess winter deaths index (single year, all ages) (Females) (Aug 2014 - Jul 2015)	368	27.8	31.6	62.6		3.1	31.2	34.4	26.1
4.15i - Excess winter deaths index (single year, all ages) (Persons) (Aug 2014 - Jul 2015)	634	23.5	27.7	50.7		10.0	26.3	28.4	25.5
4.15ii - Excess winter deaths index (single year, age 85+) (Males) (Aug 2014 - Jul 2015)	86	23.1	36.3	98.1		-5.7	38.1	45.4	39.1
4.15ii - Excess winter deaths index (single year, age 85+) (Females) (Aug 2014 - Jul 2015)	245	42.9	42.4	77.0		3.8	45.4	44.9	40.3
4.15ii - Excess winter deaths index (single year, age 85+) (Persons) (Aug 2014 - Jul 2015)	331	35.1	40.1	72.6		11.5	42.8	45.1	39.8
4.15iii - Excess winter deaths index (3 years, all ages) (Males) (Aug 2012 - Jul 2015)	699	17.4	16.6	33.2		0.6	15.7	17.3	16.9
4.15iii - Excess winter deaths index (3 years, all ages) (Females) (Aug 2012 - Jul 2015)	944	24.6	22.4	39.3		8.0	23.0	26.6	22.4
4.15iii - Excess winter deaths index (3 years, all ages) (Persons) (Aug 2012 - Jul 2015)	1,643	20.9	19.6	33.0		10.2	19.4	21.9	19.6
4.15iv - Excess winter deaths index (3 years, age 85+) (Males) (Aug 2012 - Jul 2015)	234	22.5	26.5	61.1		-7.1	27.0	31.8	29.1
4.15iv - Excess winter deaths index (3 years, age 85+) (Females) (Aug 2012 - Jul 2015)	534	32.1	29.2	54.1		9.1	31.5	32.9	28.8
4.15iv - Excess winter deaths index (3 years, age 85+) (Persons) (Aug 2012 - Jul 2015)	768	28.4	28.2	49.0		11.2	29.9	32.5	28.9
Supporting information - % population aged <18 (2015)	283,900	25.5	21.3	17.6		29.9	20.6	23.5	22.7
Supporting information - % population aged 65+ (2015)	144,985	13.0	17.7	6.0		28.0	13.8	12.1	17.2
Supporting information - % population from Black and Minority Ethnic (BME) groups (2011)	451,409	42.1	14.6	1.5		71.0	18.8	35.5	22.0
Supporting Information - Deprivation score (IMD 2010) (2010)	n/a	37.5	21.7	43.4		5.4	32.4	35.8	28.4
Supporting information - Deprivation score (IMD 2015) (2015)	n/a	37.8	21.8	42.0		5.7	32.6	35.5	27.7


Note :- 1. For indicator 2.17 - Recorded Diabetes, low/high is not necessarily better/worse.

2. For indicator 3.02 (ie Chlamydia rates - persons) the classification used is :-



For indicator 3.02 (ie Chlamydia rates) for Males and Females there are no current thresholds recorded on the fingertips website so these are currently imputed as "no significance can be calculated".


3. For indicators 3.03iii to 3.03x (ie Population vaccination coverage) the classification used is :-



4. For indicator 3.03xii (ie Population vaccination coverage) the classification used is :-



5. For indicator 3.03xiii (ie Population vaccination coverage) the classification used is :-



6. For indicator 3.03xiv (ie Population vaccination coverage) the classification used is :-
7. For indicator 3.03xv (ie Population vaccination coverage), the classification used is :-
8. For indicator 3.03xvii (ie Population vaccination coverage) the classification used is :-
9. For indicator 3.03xviii (ie Population vaccination coverage) the classification used is :-
10. For indicator 3.04 (ie HIV at a late stage of infection) the classification used is :-
11. For indicator 3.05i (ie Treatment completion for TB) the classification used is :-
12. For indicator 3.05ii (ie Incidence of TB) the classification used is :-
13. For indicator 3.08 (ie antibiotic prescribing) the classification used is :-
14. The Core-Cities and Statistical neighbours calculations are based on the availability of the underlying data in PHOF for Local Authorities for these geographies.

< 75%	>= 75%	
< 90%	90% to 95%	>= 95%
< 90%	90% to 95%	>= 95%
< 40%	40% to 65%	>= 65%
< 25%	25% to 50%	>= 50%
<50th-percentile of UTLAs	>=50th to <90th	>= 90th
>50th-percentile of UTLAs	<=50th to >10th	<= 10th
> England 2013/14 prescribing	<= England 2013/14 prescribing	

There maybe some indicators whereby this data is not available or the figures have not been released due to insufficient cases - this is particularly true for indicator '4.10 : Suicide Rate (Females)'.